

IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JANUARY 2003

VOLUME 39

NUMBER 1

IEMGAQ

(ISSN 0018-9464)

PART I OF TWO PARTS

SELECTED PAPERS FROM THE 11TH SYMPOSIUM ON ELECTROMAGNETIC LAUNCH (EML) TECHNOLOGY La Coupole, Saint-Louis, France, May 14–17, 2002

Introduction	<i>H. D. Fair</i>	5
2002 Peter Mark Medal Presentation	<i>H. D. Fair</i>	6
Peter J. Kemmey Memorial Student Scholarship	<i>H. D. Fair</i>	8
11th Electromagnetic Launch Technology Symposium		10

PAPERS

National Overviews

Electric Launch Science and Technology in the United States	<i>H. D. Fair</i>	11
U.K. Electric Gun National Overview	<i>D. C. Haugh and S. Gilbert</i>	18
Overview of ETC Research in Korea	<i>J.-W. Jung, S.-H. Kim, and K.-S. Yang</i>	22
Overview of the Electric Launch Activities at the French-German Research Institute of Saint-Louis (ISL)	<i>P. Lehmann</i>	24
Results of Recent Research on Electromagnetic Launch Technology in Russia	<i>Ph. G. Rutberg, G. A. Shvetsov, and A. F. Savvateev</i>	29
National Overview of the German ETC Program	<i>Th. H. G. G. Weise, J. Maag, G. Zimmermann, N. Eisenreich, and H. Derlich</i>	35
Widely Developing Electric Launch Technology in China	<i>Y. Wang, S. Cheng, and P. Zheng</i>	39

Armatures and Integrated Launch Packages

Magnetic Blow-Off in Armature Transition	<i>J. P. Barber and I. R. McNab</i>	42
A Survey of Armature Transition Mechanisms	<i>J. P. Barber, D. P. Bauer, K. Jamison, J. V. Parker, F. Stefani, and A. Zielinski</i>	47
Why “C” Armatures Work (and Why They Don’t!)	<i>D. C. Haugh and G. M. G. Hainsworth</i>	52
Why Solid Armatures Fail and How They can be Improved	<i>T. E. James</i>	56
An Optimized Double Ramp Integrated Launch Package Design for Railguns	<i>J. R. Kitzmiller and M. D. Driga</i>	62
Electrodynamics of the Current Melt-Wave Erosion Boundary in a Conducting Half-Space	<i>R. Merrill and F. Stefani</i>	66
Effect of Geometry Change on the Current Density Distribution in C-Shaped Armatures	<i>L. Rip, S. Satapathy, and K.-T. Hsieh</i>	72
Transition in Brush Armatures	<i>M. Schneider, D. Eckenfels, and F. Hatterer</i>	76
Analysis of Physical Effects on the Electrode Surfaces in Rail Launchers	<i>G. A. Shvetsov, A. G. Anisimov, and A. D. Matrosov</i>	82
Progress on Developing the “Magnetic Obturator,” a Novel Railgun Armature	<i>F. Stefani, J. V. Parker, and T. Watt</i>	86
Experiments to Assess Structural Loads During Solid Armature Contact Transition	<i>A. E. Zielinski, J. F. Newill, and J. D. Powell</i>	92

(Contents Continued on Page 2)



Coilguns and Novel Accelerators

Reduction in Fluctuation of the Accelerating Force in Linear Induction Launchers A. Balikci, Z. Zabar, D. Czarkowski, and L. Birenbaum 97

Analysis of the Performance of a Combined Coil–Rail Launcher. S. Barmada, A. Musolino, M. Raugi, and R. Rizzo 103

Helicoidal Electromagnetic Field for Coilgun Armature Stabilization G. Becherini and B. Tellini 108

Prediction and Verification of Electromagnetic Forces in Helical Coil Launchers T. G. Engel, D. Surls, and W. C. Nunnally 112

Research on the Relation Between the Propulsive Force and Magnetic System of the Coil Launcher Based on the Mechanism of Hybrid Switched Reluctance Motor P. Zheng, S. Cheng, L. Li, H. Wu, and Y. Wang 116

Computational Techniques

Field Analysis in Tubular Coilguns by Wavelet Transform S. Barmada 120

Analysis of a Homopolar Disk Generator via Equivalent Network S. Barmada, A. Musolino, M. Raugi, and R. Rizzo 125

Numerical Modeling of Melt-Wave Erosion in Conductors T. Benton, F. Stefani, S. Satapathy, and K.-T. Hsieh 129

3-D Modeling of Electromagnetic Fields in Application to Electromagnetic Launchers M. P. Galanin, Y. A. Khalimullin, A. P. Lototsky, and K. K. Milyayev 134

Parallelization of EMAP3D Based on Element-by-Element Jacobi Preconditioned Conjugate Gradient Method K.-T. Hsieh 139

Plasticity Model in EMAP3D K.-T. Hsieh and S. Satapathy 142

Coupled Finite-Element Codes for Armature Design J. F. Newill, J. D. Powell, and A. E. Zielinski 148

Ohmic Heating in a Double-Taper Sabot-Armature. J. D. Powell and A. E. Zielinski 153

Analytical Series Expressions for the Self- and Mutual Inductances of Two-Dimensional Coils in the Form of Partial Sectors V. Thiagarajan 158

Computation of Inductances for Pulsed Power Generators Using a Semianalytic Method V. Thiagarajan and M. Crawford 164

Finite-Element Analyses of Problems in Electromagnetic Launch Using a PC-Based Beowulf Cluster With High-Speed Networks. V. Thiagarajan, K. Milfeld, K.-T. Hsieh, and J. Hodge 168

Diagnostic Techniques

Preliminary Investigation of Microwave Telemetry on an EML Projectile. S. Levinson, M. Erengil, and K. McMullen 173

Sensor Development for Compulsator Driven Railgun Systems C. E. Penney, T. J. Hotz, and J. J. Hahne 178

Doppler-Radar: A Possibility to Monitor Projectile Dynamics in Railguns M. Schneider, D. Eckenfels, and S. Nezirevic 183

Experiments to Measure Melt-Wave Erosion in Railgun Armatures F. Stefani and R. Merrill 188

Diagnostics and Hardware Techniques for Measuring In-Bore Pressures From Transitioning Metal Armatures T. R. Wolfe, P. E. Riedy, D. Bauer, and D. Wahrer 193

Electrothermal/Electrothermal-Chemical Launchers

Effects of Dielectric Material on Arc Plasma Pressure and Ablation Measurement in High-Power Apparatus P. André, W. Bussière, E. Duffour, L. Brunet, and J.-M. Lombard 197

ETC Closed-Vessel Experiments with Alkali-Doped Propellants S. Andreasson, E. Bemm, and S. E. Nyholm 202

Experiments to Define Plasma–Propellant Interactions R. A. Beyer and R. A. Pesce-Rodriguez 207

Assessment of the Blast Wave Generated by a Low-Energy Plasma Igniter and Spectroscopic Measurements J. Caillard, C. de Izarra, L. Brunet, O. Vallée, and Ph. Gillard 212

Chemical Effects in Plasma Ignition R. A. Fifer, E. S. Sagan, and R. A. Beyer 218

Results From a Full-Scale “Smart Gun” Trial. S. R. Fuller, C. R. Woodley, and C. R. Inglis 223

Plasma–Propellant Interaction at Low Plasma Energies in ETC Guns C. Goldenberg, D. Zoler, N. Shafir, S. Roshu, S. Wald, and M. Shapira 227

Basic Investigations in a 70-mm Firing Simulator. H. K. Haak, P. Schaffers, Th. H. G. G. Weise, and H. G. Wisken 231

Performance of 2.4-MJ Pulsed Power System for Electrothermal-Chemical Gun Application Y.-S. Jin, H.-S. Lee, J.-S. Kim, G.-H. Rim, J.-S. Kim, Y.-H. Lee, K.-S. Yang, J.-W. Jung, and H.-J. Moon 235

Comparison of Plasma Ignition Parameters and Firing Performance With 20- and 60-mm Electrothermal-Chemical Guns A. Kay, J. Raupp, D. Mura, C. Steinbach, H. Peter, P. Franco, and D. Hensel 239

Capillary Discharge in the Open Air S.-H. Kim, K.-S. Yang, S.-W. Lee, and J.-W. Jung 244

Load Resistance Estimation in ETC Experiments Y.-H. Lee, K.-J. Park, and J.-W. Jung 248

Surface Characterization of Energetic Materials Using Point-to-Point Contact FTIR–ATR J. Newberry and P. J. Kaste 253

Repetitive Inductive Storage Supply for an ETC Tank Gun	<i>A. Pokryvailo, I. Ziv, and M. Shapira</i>	257
Consideration of the Energy Transfer Mechanisms Involved in SPETC Ignition Systems	<i>M. J. Taylor</i>	262
A Description of the Wire Explosion Process for ETC Plasma Generators	<i>M. J. Taylor and J. Dunnett</i>	269
A New <i>In Situ</i> Method for the Measurement of Ignition Delays and the Propagation of the Ignition Wave in Gun Charges	<i>D. Zoler, G. Appelbaum, N. Shafir, S. Roshu, C. Goldenberg, S. Wald, and M. Shapira</i>	275
<i>EML Applications</i>		
A 4.5-MJ Pulsed Power Supply for Railgun Experiments	<i>M. Del Güercio</i>	280
An Application Guide for Compulsators	<i>J. R. Kitzmiller, S. B. Pratap, and M. D. Driga</i>	285
A Long-Range Naval Railgun	<i>J. McFarland and I. R. McNab</i>	289
Launch to Space With an Electromagnetic Railgun	<i>I. R. McNab</i>	295
Accelerating Conductors by Electromagnetic Action Through Metallic Shields	<i>B. M. Novac, I. R. Smith, P. E. Jarvis, and C. J. Abbott</i>	305
First Design Study of an Electrical Catapult for Unmanned Air Vehicles in the Several Hundred Kilogram Range	<i>B. Reck</i>	310
Electrothermal Technology of Coating	<i>E. Ya. Shcolnikov, S. P. Maslennikov, N. N. Netchaev, V. N. Nevolin, and L. A. Sukhanova</i>	314
A High-Explosive Round for a Rectangular Railgun Bore Cross Section	<i>A. E. Zielinski and J. F. Newill</i>	319
<i>EML Related Materials Performance</i>		
Obtainable Microstructures in Electrical Conductors Made of a Copper–Silver Alloy	<i>Z. Castro-Dettmer, M. Simmons, and C. Persad</i>	323
Ultimate Kinematic Characteristics of Composite Solids	<i>G. A. Shvetsov and S. V. Stankevich</i>	327
Thermophysical Evaluation of a Novel Aluminum Alloy With Application to an Integrated Launch Package	<i>A. E. Zielinski</i>	332
<i>Energy Storage</i>		
Use of SABER Circuit Simulation Software for the Modeling of Compensated Pulsed Alternators Driving a Railgun Load	<i>M. Crawford, J. A. Mallick, and J. Pappas</i>	337
Fast, Real-Time Monitoring of Rotating Machines Using Digital Motion Control Coprocessors	<i>M. Giesselmann, B. McHale, and M. Crawford</i>	343
Study of Two-Phase Passive Compulsator	<i>L. Li, W. Wu, and Y. Xiong</i>	348
Research on Electrode-End Contact Degradation of Metallized Polypropylene Capacitors	<i>F. Lin, X. Dai, Z. Yao, and J. Li</i>	353
High-Speed Compulsator Stator Thermal Management	<i>H. P. Liu and J. J. Hahne</i>	357
Ultimate Properties of the Polypropylene Film for Energy Storage Capacitors	<i>P. Michalczyk and M. Bramouille</i>	362
Assessment of Losses in the Field Coil of the Compulsator Under Dynamic Conditions	<i>S. B. Pratap and M. D. Driga</i>	366
Vulnerability Studies of High-Speed Compulsators	<i>G. Nagy, R. Shnidman, N. Gerri, and J. Tzeng</i>	371
Lightweight Containment for High-Energy Rotating Machines	<i>J. L. Strubhar, R. C. Thompson, T. T. Pak, J. J. Zierer, J. H. Beno, and R. J. Hayes</i>	378
Viscoelastic Analysis of Composite Rotor for Pulsed Power Applications	<i>J. T. Tzeng</i>	384
Design and Testing of a High-Speed Spin Test for Evaluating Pulse Alternator Windage Loss Effects	<i>M. D. Werst, J. J. Hahne, H. P. Liu, and C. E. Penney</i>	389
Analysis and Modeling of the Active Compulsator	<i>Y. Xiong, L. Li, and Z. Ma</i>	394
<i>High-G Sensors and Components</i>		
A Novel Capillary Plasma Switch (CPS) for Electrothermal Launchers	<i>K. Liu, S. Xia, S. Qin, and Y. Pan</i>	398
<i>Launch Package Components</i>		
Integrated Launch Package Design With Considerations for Reduced-Scale Demonstration	<i>A. E. Zielinski</i>	402
<i>Power Conditioning</i>		
High-Current Vacuum Triggered Switching Devices	<i>D. F. Alferov, V. P. Ivanov, and V. A. Sidorov</i>	406
Performance of Gas-Puffing Inverse Pinch Switch for Pulsed Power System	<i>K.-H. Cho, Y.-B. Kim, S.-S. Jung, H.-S. Lee, G.-H. Rim, and H.-H. Lee</i>	410
Circuits for Protecting and Triggering SCRs in High Power Converters	<i>A. L. Gattozzi and J. A. Pappas</i>	414
Effect of Converter Packaging Techniques on Device Electrical Conduction	<i>A. L. Gattozzi, S. P. Pish, and J. A. Pappas</i>	418

Analysis on High Surge Voltages Generated in Paralleled Capacitor Banks	422
. <i>J.-S. Kim, Y.-H. Choi, J.-H. Chu, and G.-Y. Sung</i>	
System Simulations and Experiments for Electrothermal-Chemical Guns Powered by Compulsators	427
. <i>Y. Pan, K. Liu, and B. Liu</i>	
Pulsed-Duty Characterization of Turn-Off for a Population of SCRs and the Effect of Variation on Equalization Circuit Design.	432
. <i>J. A. Pappas, A. L. Gattozzi, and R. E. Hebner</i>	
High-Power MOSFETs and Fast-Switching Thyristors Utilized as Opening Switches for Inductive Storage Systems.	437
. <i>S. Scharnholtz, V. Brommer, G. Buderer, and E. Spahn</i>	
Study on the Coil Design of the Reusable Linear Magnetic Flux Compressor	442
. <i>Z. Wang, J. Li, X. Liu, X. Yu, and J. Yuan</i>	
Critical Components for High Energy Density Capacitor Modules.	446
. <i>H. G. Wisken and Th. H. G. G. Weise</i>	
<i>Rail Launchers</i>	
Parametric Study of an Augmented Railgun.	451
. <i>J. Gallant</i>	
Integral Containment Electromagnetic Gun	456
. <i>E. L. Kathe, M. J. Glennon, M. D. Gully, and K. Olsen</i>	
Analysis of the Performance of a Multistage Railgun	462
. <i>A. Musolino, M. Raugi, R. Rizzo, and A. Tellini</i>	
Thermal Stresses in an Actively Cooled Two-Piece Rail Structure	468
. <i>S. Satapathy and C. Persad</i>	
Dynamic Response of Electromagnetic Railgun Due to Projectile Movement.	472
. <i>J. T. Tzeng</i>	
Experimental Results of a Two-Stage Plasma Armature Railgun	476
. <i>A. Yamori, M. Kohno, and N. Kawashima</i>	
<i>System Analysis/Integration</i>	
Designing Magneto-Rheological Dampers in a Fire Out-of-Battery Recoil System	480
. <i>M. Ahmadian, R. J. Appleton, and J. A. Norris</i>	
Analysis of a Capacitor-Based Pulsed-Power System for Driving Long-Range Electromagnetic Guns	486
. <i>J. S. Bernardes, M. F. Stumborg, and T. E. Jean</i>	
Analysis of Electromagnetic Systems Using the Extended Bond Graph Method: Mechanically Static Systems	491
. <i>D. Landen</i>	
Minimization of the Input Power for a Long Railgun	498
. <i>I. R. McNab</i>	
Capacitive Pulsed Power Supply Systems for ETC Guns.	501
. <i>H. G. Wisken and Th. H. G. G. Weise</i>	
<hr/>	
CONFERENCE AUTHOR INDEX	505
<hr/>	
IEEE COPYRIGHT FORM	507
<hr/>	

IEEE MAGNETICS SOCIETY

The IEEE Magnetics Society is an association of IEEE members and affiliates with professional interests in the field of magnetics. All IEEE members are eligible for membership and will receive this TRANSACTIONS upon payment of the annual Society membership fee of \$30.00. It is possible for members of other professional societies to become Society affiliates. Information on membership can be obtained by writing to the IEEE at the address below. *Member copies of Transactions/Journals are for personal use only.*

Officers

<i>President</i> RONALD S. INDECK	<i>Vice President</i> KEVIN O'GRADY	<i>Secretary-Treasurer</i> CARL E. PATTON	<i>Past President</i> ROBERT E. FONTANA, JR.	<i>Executive Director</i> DIANE SUITERS
--------------------------------------	--	--	---	--

Administrative Committee

<i>Term Ending 12/31/03</i>		<i>Term Ending 12/31/04</i>		<i>Term Ending 12/31/05</i>	
E. DAN DAHLBERG	J. DOUG LAVERS	WILLIAM C. CAIN	CARL E. PATTON	GIORGIO BERTOTTI	CAROLINE A. ROSS
GORDON E. FISH	J. COCK LODDER	MARY F. DOERNER	CRAIG M. PERLOV	THOMAS D. HOWELL	DIETER WELLER
RONALD S. INDECK	YOSHIMASA MIURA	BRUCE A. GURNEY	TAKAO SUZUKI	DAVID N. LAMBETH	PHILIP E. WIGEN
MARK H. KRYDER	RANDALL H. VICTORA	ROMNEY R. KATTI	SHAN X. WANG	ROBERT C. O'HANDLEY	ROGER S. WOOD

Standing Committees Chairs

<i>Constitution and Bylaws</i> , D. D. STANCIL	<i>Nominations</i> , W. D. DOYLE
<i>Education</i> , C. KORMAN	<i>Planning</i> , R. S. INDECK
<i>Finance</i> , G. E. FISH	<i>Publicity</i> , R. R. KATTI
<i>Membership</i> , J. A. NYENHUIS	<i>Standards</i> , B. GURNEY

Department Chairs

Awards, D. A. THOMPSON
Chapters, R. H. DEE
Conference Executive Committee, C. M. PERLOV
Publications, R. B. GOLDFARB
Technical Committees, H. J. RICHTER

Technical Committee Chairs

<i>Biomagnetism</i> , SHOOGO UENO	<i>Magneto-Optics</i> , L. H. BENNETT	<i>Micromagnetics</i> , M. E. SCHABES
<i>Permanent Magnets and Electromagnetism</i> , H. A. LEUPOLD	<i>Magnetic Imaging</i> , R. SCHAEFER	<i>Perpendicular Recording</i> , HIROAKI MURAOKA
<i>Recording Heads, Multilayers and GMR</i> , B. GURNEY	<i>Measurements</i> , E. SAMWEL	<i>Recording Systems</i> , NAN-HSIUNG YEH
<i>Magnetic Random Access Memory</i> , N. D. RIZZO	<i>Recording Media</i> , K. JOHNSON	<i>Soft Magnetic Materials</i> , RYUSUKE HASEGAWA, M. GIBBS
<i>TMR and Electronic Structure</i> , O. HEINONEN	<i>Sensors</i> , E. W. HILL	<i>Spin Electronics, Micro-Electromechanical</i>
<i>Nanoparticles</i> , L. FOLKS	<i>Patterned Structures</i> , C. A. ROSS	<i>Systems, Biosensors</i> , J. DE BOECK
<i>Ultrathin Films, Dynamics, Spin Electronics</i> , B. HILLEBRANDS	<i>Dichroism</i> , P. FISCHER	

Publications Department

IEEE Transactions on Magnetics G. BERTOTTI, E. D. DAHLBERG, W. D. DOYLE, R. B. GOLDFARB, D. C. JILES, R. R. KATTI, W. C. MESSNER, J. MOON, S. J. SALON	IEEE Magnetics Society Newsletter Editor M. PARDAVI-HORVATH, pardavi@ieee.org	IEEE Press Liaisons S. H. CHARAP, s.charap@ieee.org G. F. HUGHES, gfhughes@ieee.org J. T. SCOTT, jscott@viconet.com
--	---	---

THE INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS, INC.

Officers

MICHAEL S. ADLER, <i>President</i>	MICHAEL R. LIGHTNER, <i>Vice President, Publication Services and Products</i>
ARTHUR W. WINSTON, <i>President-Elect</i>	W. CLEON ANDERSON, <i>Vice President, Regional Activities</i>
LEVENT ONURAL, <i>Secretary</i>	GERALD H. PETERSON, <i>President, IEEE Standards Association</i>
PEDRO A. RAY, <i>Treasurer</i>	LEAH H. JAMIESON, <i>Vice President, Technical Activities</i>
RAYMOND D. FINDLAY, <i>Past President</i>	JAMES V. LEONARD, <i>President, IEEE-USA</i>
JAMES M. TIEN, <i>Vice President, Educational Activities</i>	

HAROLD L. FLESCHER, *Director, Division IV — Electromagnetics and Radiation*

Executive Staff

DANIEL J. SENESE, <i>Executive Director</i>	MATTHEW LOEB, <i>Corporate Strategy & Communications</i>
DONALD CURTIS, <i>Human Resources</i>	RICHARD D. SCHWARTZ, <i>Business Administration</i>
ANTHONY DURNAK, <i>Publications Activities</i>	W. THOMAS SUTTLE, <i>IEEE-USA</i>
JUDITH GORMAN, <i>Standards Activities</i>	MARY WARD-CALLAN, <i>Technical Activities</i>
CECELIA JANKOWSKI, <i>Regional Activities</i>	JOHN WITSKEN, <i>Information Technology</i>
BARBARA COBURN STOLER, <i>Educational Activities</i>	

IEEE Periodicals

Transactions/Journals Department
Staff Director: FRAN ZAPPULLA
Editorial Director: DAWN MELLEY
Production Director: ROBERT SMREK
Managing Editor: JEFFREY E. CICHOCKI
Associate Editor: MEREDITH FALLON

IEEE TRANSACTIONS ON MAGNETICS (ISSN 0018-9464) is published bimonthly by The Institute of Electrical and Electronics Engineers, Inc. Responsibility for the contents rests upon the authors and not upon the IEEE, the Society, or its members. **IEEE Corporate Office**: 3 Park Avenue, 17th Floor, New York, NY 10016-5997. **IEEE Operations Center**: 445 Hoes Lane, P. O. Box 1331, Piscataway, NJ 08855-1331. **N.J. Telephone**: +1 732 981 0060. **Price/Publication Information**: Individual copies: IEEE Members \$20.00 (first copy only), nonmembers price available upon request. (Note: Add \$4.00 postage and handling charge to any order from \$1.00 to \$50.00, including prepaid orders.) Member and nonmember subscription prices available upon request. Available in microfiche and microfilm. **Copyright and Reprint Permissions**: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy for private use of patrons, 1) those post-1977 articles that carry a code at the bottom of the first page, provided the per-copy fee indicated at the bottom of the first page in the code is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. 2) For all other copying, reprint, or republication permission, write to: Copyrights and Permissions Department, IEEE Publications Administration, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331. Copyright © 2003 by The Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Periodicals Postage Paid at New York, NY and at additional mailing offices. **Postmaster**: Send address changes to IEEE TRANSACTIONS ON MAGNETICS, IEEE, 445 Hoes Lane, P. O. Box 1331, Piscataway, NJ 08855-1331. GST Registration No. 125634188. Printed in U.S.A.

IEEE TRANSACTIONS ON MAGNETICS

Editor-in-Chief: RON B. GOLDFARB, National Inst. of Standards and Tech., 325 Broadway, Boulder, CO 80305 USA (r.goldfarb@ieee.org)

Editor for Electromagnetism and Numerical Methods: GIORGIO BERTOTTI, IEN Galileo Ferraris, Strada delle Cacce 91, I-10135 Torino, Italy (g.bertotti@ieee.org)

Editor for Electromagnetic Devices: SHEPPARD J. SALON, Electrical, Computer, and Systems Engineering, JEC-5012, Rensselaer Polytechnic Institute, Troy, NY 12180 USA (s.salon@ieee.org)

Editor for Magnetic Materials and Magnetic Measurements and Instrumentation: DAVID C. JILES, Ames Laboratory, Iowa State University, Ames, IA 50011 USA (d.jiles@ieee.org)

Editor for Magnetism in Solids, Magnetic Measurements and Instrumentation, and Applied Superconductivity: E. DAN DAHLBERG, University of Minnesota, 116 Church St., S. E., Minneapolis, MN 55455 USA (d.dahlberg@ieee.org)

Editor for Magnetic Recording Heads and Media: WILLIAM D. DOYLE, Center for Materials for Information Technology, University of Alabama, Box 870209, Tuscaloosa, AL 35487 USA (wdoyle@ieee.org)

Editor for Magnetic Recording Signal Processing : JAEKYUN MOON, University of Minnesota, 200 Union St., S.E., Minneapolis, MN 55455 USA (jmoon@ieee.org)

Editor for Magnetic Recording Servos and Systems: WILLIAM C. MESSNER, Dept. Mechanical Engineering, Carnegie Mellon University, 5000 Forbes Avenue, Pittsburgh, PA 15213 USA (bmessner@ieee.org)

Advances in Magnetism Editor: R. KATTI, Honeywell, Inc., MN14-3C15, 12001 State Hwy 55, West Plymouth, MN 55441 USA (r.katti@ieee.org)

Authors should submit manuscripts to the appropriate Editor according to subject. See the complete subject categories list in the January issue (and occasionally other issues) of this TRANSACTIONS. Prospective authors of extended invited papers should contact the *Advances in Magnetism Editor*. Conferences and workshops interested in publishing selected, peer-reviewed papers in the IEEE TRANSACTIONS ON MAGNETICS should contact the *Editor-in-Chief*.

Editorial Board

J. A. BAIN	J. FERNANDEZ-DE-CASTRO	R. F. HOYT	J. C. MALLINSON	A. K. PETFORD-LONG	I. SASADA
W. C. CAIN	J. FIDLER	P. KABOS	R. MATTHEIS	T. REITH	T. SUZUKI
Z. CELINSKI	F. J. FRIEDLAENDER	B.-Z. KAPLAN	I. D. MAYERGOYZ	H. J. RICHTER	S. S. UDPA
D.-X. CHEN	R. D. GOMEZ	Y. K. KIM	R. D. MCMICHAEL	N. D. RIZZO	E. P. VALSTYN
J. DE BOECK	C. A. GRIMES	C. E. KORMAN	J. E. MONSON	C. A. ROSS	B. VASIC
E. DELLA TORRE	T. D. HOWELL	H. A. LEUPOLD	M. PARDAVI-HORVATH	M. J. SABLİK	R. H. VICTORA

INFORMATION FOR AUTHORS

The IEEE TRANSACTIONS ON MAGNETICS is published six times per year. Submitted manuscripts should be in areas of science and technology related to the basic physics of magnetism, magnetic materials, applied magnetics, and magnetic devices.

The submission of a manuscript to the IEEE TRANSACTIONS ON MAGNETICS implies that it has not been copyrighted or published and that it has not been submitted or accepted for publication elsewhere. All manuscripts considered for publication are subject to peer review and the established technical and editorial standards of the TRANSACTIONS. The IEEE TRANSACTIONS ON MAGNETICS strongly discourages courtesy authorship. It is the obligation of the authors to cite relevant prior work.

The IEEE TRANSACTIONS ON MAGNETICS publishes articles in the following four categories:

- 1) *Papers*—unsolicited technical articles of archival value, typically less than 15 printed pages in length.
- 2) *Letters*—short technical communications of archival value, limited to a maximum of three printed pages in length. Letters are not intended to report preliminary work. Letters receive expeditious review and handling.
- 3) *Advances in Magnetism*—invited technical articles providing critical reviews of current topics by noted experts.
- 4) *Selected Conference Papers*—technical articles of archival value in connection with certain magnetism-related conferences. Authors submitting papers in this category must follow specific instructions provided by the special conference guest editors and send their manuscripts directly to those editors.

Procedure for Submitting a Paper or Letter

Four clear copies of the complete manuscript; line drawings, graphics, and photographs for figures; and a properly completed IEEE Copyright Form (see below) are to be sent to the appropriate *Editor* (see top of page). These materials are not to be sent to the IEEE or to the *Editor-in-Chief*. Each of the four copies of the manuscript must be complete and self-contained, including authors' names, IEEE membership category (if any), abstract, index terms, text, footnotes (including author affiliations), references, figures, tables, figure captions, and table captions. Authors may provide a brief technical biography, which includes birth date and place, education, employments, and memberships in professional societies. The style for the text and illustrations must conform to the required format for the TRANSACTIONS. Papers that are not complete, not in the required format, or not accompanied by a completed copyright form will not be accepted for processing. Please contact the appropriate editor for instructions if submission by e-mail is preferred.

Please provide, on a single page, the names of all authors (with surnames all in uppercase), complete mailing addresses, telephone numbers, fax numbers, and e-mail addresses. They will receive complimentary copies of the issue of the TRANSACTIONS that contains their paper. Please indicate to which author correspondence should be sent.

For detailed instructions on the preparation of papers, download either TRANSMAG.DOC or TRANSMAG.PDF from <http://www.ieee.org/organizations/pubs/transactions/stylesheets.htm>. An IEEE style guide, "Information for Authors," may be found at <http://www.ieee.org/organizations/pubs/transactions/information.htm>.

Magnetic Publishing

The IEEE sets galley proofs directly from PC or Macintosh disks provided by the authors. You must include a disk along with two paper copies of your final, accepted manuscript. Make certain the magnetic version of your manuscript is identical to the paper copies. The disk should be labeled with your name, the file name of your manuscript, format (PC or Macintosh), and the software and version number used to create the file. The preferred software is LATEX or Microsoft Word. Figures should be in TIFF or EPS as separate files on disk(s). Do not put boxes around figures. Do not write captions as part of the graphic images.

Important instructions for manuscript and figure preparation are available at <http://www.ieee.org/organizations/pubs/transactions/stylesheets.htm>. Please download file TRANSMAG.DOC or TRANSMAG.PDF.

Page Charges

After a manuscript has been accepted for publication, the author will be requested to pay a charge of \$110 per printed page to cover part of the cost of publication. Page charges for this TRANSACTIONS are not obligatory, nor is their payment a prerequisite for publication. The author will receive 100 free reprints without covers if the charge is honored. Detailed instructions will accompany the galley proof. Color printing of figures is available for a minimum fee of \$1200 per manuscript. For a precise quote, please contact the Transactions/Journals Department.

Copyright

It is the policy of the IEEE to own the copyright to the technical contributions it publishes on behalf of the interests of the IEEE, its authors, and their employers, and to facilitate the appropriate reuse of this material by others. To comply with the U.S. Copyright Law, authors are required to sign an IEEE Copyright Form before publication. This form, a copy of which appears in the January issue (and occasionally other issues) of this journal and at <http://www.ieee.org/about/documentation/copyright/cfrmlink.htm>, returns to authors and their employers full rights to reuse their material for their own purposes. Authors must submit a signed copy of this form with their manuscripts.

IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JANUARY 2003


VOLUME 39

NUMBER 1

IEMGAQ

(ISSN 0018-9464)

PART I OF TWO PARTS



SELECTED PAPERS FROM THE 11TH SYMPOSIUM ON ELECTROMAGNETIC LAUNCH (EML) TECHNOLOGY
La Coupole, Saint-Louis, France, May 14–17, 2002

See p. 1, Part I, for EML Table of Contents. EML papers begin on p. 11. See Part II, p. 510, for Regular Papers.
