



IEEE TRANSACTIONS ON MAGNETICS

JANUARY 1993

VOLUME 29

NUMBER 1

IEMGAQ

(ISSN 0018-9464)

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

PART I OF TWO PARTS

THE MAGNETIC RECORDING CONFERENCE

Santa Clara University, Santa Clara, California, July 21-23, 1992

(See p. 1 for TMRC table of contents. TMRC papers appear on pages 169-329).

6TH SYMPOSIUM ON ELECTROMAGNETIC LAUNCH TECHNOLOGY

The University of Texas of Austin, Austin, Texas, April 28-30, 1992

(See front cover of Part II for EML table of contents. EML papers appear on pages 342-1223).

REGULAR PAPERS

| | | |
|--|---|-----|
| Morphological and Magnetic Properties of Ru, Os and Ir-Substituted Fe ₄ N | D. Andriamandroso, S. Matar, G. Demazeau, and L. Fournès | 2 |
| The Angular Dependence of the Remanent Coercivity of Gamma Ferric Oxide 'Tape' Particles | A. Stephenson and J. C. Shao | 7 |
| Role of Surface Asperities on Durability of Metal-Evaporated Magnetic Tapes | H. Osaki | 11 |
| An Analysis of Magnetization Processes in Metal Evaporated Tape | H. Richter | 21 |
| Recording Characteristics of Dy-FeCo-Based Magneto-Optical Disks in Comparison to Other MO Materials | D. Raasch | 34 |
| Wear Mechanisms of Co-Cr Sputter Deposited Magnetic Tapes in Helical Scan Video Tape Recorders | H. Osaki, H. Uchiyama, and N. Honda | 41 |
| Upper Bounds on the Capacity of the Digital Magnetic Recording Channel | S. W. McLaughlin and D. L. Neuhoff | 59 |
| Fields and Transforms for Thin Film Heads | G. A. Bertero, H. N. Bertram, and D. M. Barnett | 67 |
| Anhysteretic Remanent Susceptibility and the Moving Preisach Model | C. Păpușoi and A. Stancu | 77 |
| Influence of In-Plane Anisotropy and Eddy Currents on the Frequency Spectra of the Complex Permeability of Amorphous CoZr Thin Films | A. Fessant, J. Gieraltowski, J. Loaec, H. Le Gall, and A. Rakii | 82 |
| Field Gradient Analysis of a Conical Helix | Y. Bayazitoglu and U. B. Sathuwalli | 88 |
| Complementary Solutions of Direct Current Flow Problems | J. A. H. Rikabi | 98 |
| Magnetic Levitation Force Measurement on High <i>T</i> , Superconducting Ceramic/Polymer Composites | J. Unsworth, J. Du, B. J. Crosby, and J. C. Macfarlane | 108 |
| Superconducting Cylinder in a Static Longitudinal Magnetic Field | Y. N. Zhilichev | 113 |
| An Inverse Electromagnetic Induction Problem | J. R. Wait and K. A. Nabulsi | 119 |
| Instantaneous Magnetic Field Distribution in Brushless Permanent Magnet dc Motors, Part I: Open-Circuit Field | Z. Q. Zhu, D. Howe, E. Bolte, and B. Ackermann | 124 |
| Instantaneous Magnetic Field Distribution in Brushless Permanent Magnet dc Motors, Part II: Armature-Reaction Field | Z. Q. Zhu and D. Howe | 136 |
| Instantaneous Magnetic Field Distribution in Brushless Permanent Magnet dc Motors, Part III: Effect of Stator Slotting | Z. Q. Zhu and D. Howe | 143 |
| Instantaneous Magnetic Field Distribution in Brushless Permanent Magnet dc Motors, Part IV: Magnetic Field on Load | Z. Q. Zhu and D. Howe | 152 |
| Some Aspects of Vehicle Degaussing | J. A. MacBain | 159 |
| Comments on "Magnetic Fields of Current Monopoles in Special Volume Conductors" | A. A. Inayat-Hussain | 166 |
| IEEE COPYRIGHT FORM | | 331 |

THE MAGNETIC RECORDING CONFERENCE

Santa Clara University, Santa Clara, California, July 21-23, 1992

| | |
|--|-----|
| Chairman's Preface — J. E. Opfer | 168 |
|--|-----|

SYSTEMS CONSIDERATIONS INFLUENCING MEDIA

| | |
|--|-----|
| Media design for user density of up to 3 bits per pulse width — <i>R. Simmons and R. Davidson</i> | 169 |
| Nonlinearities in thin-film media and their impact on data recovery — <i>J. Moon and J.-G. Zhu</i> | 177 |
| Media selection for high density recording channels — <i>R. D. Barndt, A. J. Armstrong, and J. K. Wolf</i> | 183 |
| Media design considerations for a PRML channel — <i>D. C. Palmer and J. D. Coker</i> | 189 |

MEDIA NOISE

| | |
|---|-----|
| Transition noise properties in longitudinal thin-film media — <i>J.-G. Zhu</i> | 195 |
| General analysis of noise in recorded transitions in thin-film recording media — <i>H. N. Bertram</i> | 201 |
| Experimental studies of noise in isotropic longitudinal CoCrTa/Cr thin-film media — <i>J. H. Judy</i> | 209 |
| Fabrication of low-noise media—A manufacturing perspective — <i>K. E. Johnson, J. B. Mahlke, K. J. Schulz, and A. C. Wall</i> | 215 |
| Laminated media for high-density recording — <i>S. E. Lambert, J. K. Howard, I. L. Sanders, and O. C. Allegranza</i> | 223 |

PROBLEMS OF LOW FLYING HEIGHTS

| | |
|--|-----|
| Some critical tribological issues in contact and near-contact recording — <i>D. B. Bogy, H. M. Stanley, M. Donovan, and E. Cha</i> | 230 |
| The effect of slider roughness on asperity testing of thin-film media — <i>B. K. Clark</i> | 234 |
| Advantage and challenge of non-metallic substrates for rigid disk applications — <i>H.-C. Tsai</i> | 241 |
| Capacitance methods in head-disk interface studies — <i>R. Sonnenfeld</i> | 247 |

DURABILITY AND MICROTRIBOLOGY

| | |
|---|-----|
| Gaseous wear products from lubricated thin-film disks — <i>B.D. Strom, D. B. Bogy, R. G. Walmsley, J. Brandt, and C. S. Bhatia</i> | 253 |
| Optical characterization of sputtered carbon films — <i>J. W. Ager, III</i> | 259 |
| Structure and tribological performance of carbon overlayer films — <i>S. Agarwal, E. Li, and N. Heiman</i> | 264 |
| Micro-tribology of carbon-coated thin-film media with well-defined surface texture — <i>H. Tanaka, K. Gomi, and Y. Miyake</i> | 270 |
| The effect of chemical and surface properties of hydrogenated carbon overcoats on the tribological performance of rigid magnetic disks — <i>J. K. Lee, M. Smallen, J. Enguero, H. J. Lee, and A. Chao</i> | 276 |
| The mechanism of ultraviolet bonding of perfluoropolyether lubricants — <i>G. H. Vurens, C. S. Gudeman, L. J. Lin, and J. S. Foster</i> | 282 |

MEDIA MATERIALS CHARACTERIZATION

| | |
|---|-----|
| Magnetic characterisation of thin-film recording media — <i>K. O'Grady, R. W. Chantrell, and I. L. Sanders</i> | 286 |
| Transmission electron microscopic analysis of microstructural features in magnetic recording media — <i>T. P. Nolan, R. Sinclair, R. Ranjan, and T. Yamashita</i> | 292 |
| X-ray diffraction characterization of stress and crystallographic texture in thin-film media — <i>J. A. Bain, B. M. Clemens, S. M. Brennan, and H. Kataoka</i> | 300 |

ULTRA HIGH DENSITY MEDIA

| | |
|--|-----|
| Ultra high density media: Gigabit and beyond — <i>T. Yogi and T. A. Nguyen</i> | 307 |
| Dynamics of nonlinearities in high density recording — <i>X. Che and H. N. Bertram</i> | 317 |
| Effect of in-plane easy axis orientation in narrow track recording — <i>J.-G. Zhu, X.-G. Ye, and T. C. Arnoldussen</i> | 324 |

| | |
|------------------------------|-----|
| CONFERENCE AUTHOR INDEX..... | 330 |
|------------------------------|-----|



IEEE TRANSACTIONS ON
MAGNETICS

JANUARY 1993

VOLUME 29

NUMBER 1

IEMGAQ

(ISSN 0018-9464)

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

PART II OF TWO PARTS

6TH SYMPOSIUM ON ELECTROMAGNETIC LAUNCHER TECHNOLOGY

| | |
|--|-----|
| Conference Organization | 337 |
| Introduction — <i>H. D. Fair</i> | 338 |
| Peter Mark Medal | 340 |

APPLICATIONS PANEL

| | |
|--|-----|
| Applications of electric launch systems — <i>H. D. Fair</i> | 342 |
| Midterm to far term applications of electromagnetic guns and associated power technology — <i>M. R. Palmer</i> | 345 |
| Some aspects of future military requirements — <i>F. Jamet, V. Wegner, and H. Peter</i> | 351 |
| The U.K. Military perception of electromagnetic technology — <i>D. O. Callaghan</i> | 354 |

ELECTROMAGNETIC AND ELECTROTHERMAL LAUNCHERS: RAILGUNS

| | |
|---|-----|
| Three-dimensional thermal and electromagnetic coupled analysis of railguns — <i>B. Azzerboni, G. Tina, E. Cardelli, and M. Raugi</i> .. | 356 |
| High performance railgun barrels for laboratory use — <i>D. P. Bauer and D. C. Newman</i> | 362 |
| External magnetic field influence on the behaviour of arc-driven railguns — <i>G. Becherini, M. Raugi, and A. Tellini</i> | 368 |
| Earth-to-orbit railgun launcher — <i>J. L. Brown, K. A. Jamison, N. E. Johnson, G. E. Rolader, J. J. Scanlon, III, and P. W. Coutee</i> .. | 373 |
| An investigation of electromagnetic launch repeatability — <i>J. B. Cornette, M. W. Heyse, and J. L. Brown</i> | 379 |
| Solid-armature railguns without the velocity-skin effect — <i>M. Cowan</i> | 385 |
| A momentum limit for electromagnetic railguns — <i>M. Cowan</i> | 391 |
| Advanced-performance macroparticle accelerators: Polyphase railguns — <i>M. D. Driga</i> | 397 |
| Salvo fire experiments using a 0.60 caliber electromagnetic launcher — <i>R. L. Fuller, J. R. Kitzmiller, S. B. Pratap, and R. F. Thelen</i> .. | 402 |
| Operating experience with the 90 mm railgun at CEM-UT — <i>J. J. Hahne and R. J. Hayes</i> | 407 |
| Development and validation of the ARDEC Army Railgun Modular Simulator (ARMS) — <i>D. J. Hildenbrand</i> | 413 |
| Advanced railgun experimental test results and implications for the future — <i>M. M. Holland, P. D. Eggers, S. Guinto, R. D. Stevenson, and G. Columbo</i> | 419 |

| | |
|--|-----|
| Small-bore hypervelocity electromagnetic launcher research facility — <i>T. W. Hurn, S. Chapelle, S. P. Lupon, L. Holland, W. G. Homeyer, and J. M. Rawls</i> | 425 |
| Stable and reproducible production of high velocity projectile in ISAS railgun (HYPAC) — <i>N. Kawashima, A. Yamori, M. Yanagisawa, H. Kubo, M. Kohno, and S. Teii</i> | 431 |
| Development of a fuseless small-bore railgun for injection of high-speed hydrogen pellets into magnetically confined plasmas — <i>K. Kim, J. Zhang, T. L. King, W. C. Manns, and R. G. Haywood</i> | 435 |
| Manufacturing and testing of an air-core compulsator driven 0.60 caliber railgun system — <i>J. R. Kitzmiller, R. W. Faidley, R. L. Fuller, R. N. Headifen, and R. F. Thelen</i> | 441 |
| Augment railgun and sequential discharge — <i>K. Kobayashi</i> | 447 |
| Design, analysis, and fabrication of two lightweight, high <i>L</i> é railguns — <i>R. L. Laughlin, J. L. Bacon, R. C. Zowarka, and J. H. Price</i> .. | 451 |
| 1 MJ electric gun facility at LLNL — <i>R. S. Lee, J. E. Osher, H. H. Chau, G. Pomykal, and R. D. Speer</i> | 457 |
| Distributed energy store powered railguns for hypervelocity launch — <i>B. L. Maas, D. P. Bauer, and R. A. Marshall</i> | 461 |
| Multi-rail barrel design and performance — <i>B. L. Maas, D. P. Bauer, and A. Challita</i> | 467 |
| Multiphase railgun systems: A new concept — <i>S. K. Murthy and W. F. Weldon</i> | 472 |
| Motivation for a near term gun launch to space demonstration and a variable inductance power supply concept to minimize initial demonstration costs — <i>M. R. Palmer</i> | 478 |
| Limiting physics effects in hypervelocity railguns — <i>K. D. Pyatt and I. R. McNab</i> | 484 |
| Performance loss due to electrical breakdown of pre-accelerator gas — <i>J. V. Parker</i> | 490 |
| Modelling the electromagnetic performance of moving rail gun launchers using finite elements — <i>D. Rodger and P. J. Leonard</i> .. | 496 |
| Electromagnetic gun circuit analysis code (EGCAC) — <i>G. E. Rolader, L. D. Thornhill, J. H. Batteh, and J. J. Scanlon, III</i> | 499 |
| HART hypervelocity augmented railgun test facility — <i>M. B. Schulman, R. E. Wootton, F. Stefani, D. A. Fikse, E. F. Docherty, and V. F. DeMarchi</i> | 505 |
| The analysis and modeling of the ARDEC 2.5 km/s 20-mm plasma railgun shot — <i>D. A. Sink, D. I. Chang, A. Davis, G. Colombo, and D. J. Hildenbrand</i> | 511 |
| Power semiconductors empirical diagrams expressing life as a function of temperature excursion — <i>I. L. Somos, D. E. Piccone, L. J. Willinger, and W. H. Tobin</i> | 517 |
| Experimental comparison of conventional and trans-augmented railguns — <i>J. Taylor, R. Crawford, and D. Keefer</i> | 523 |
| Railgun with integrated electrothermal preacceleration — <i>H. G. Wisken, D. W. Schade, U. E. Braunsberger, J. G. H. Salge, A. M. Jean-Jacques, B. Dirr, and E. B. Igenbergs</i> | 529 |
| Study of a new railgun configuration with perforated sidewalls — <i>J. Zhang, K. Kim, and T. L. King</i> | 534 |

ELECTROMAGNETIC AND ELECTROTHERMAL LAUNCHERS: ELECTROTHERMAL

| | |
|---|-----|
| The effect of the external pressure on the internal conditions inside the discharge tube — <i>J. Ashkenazy</i> | 539 |
| Studies of confined high-pressure discharges in an electrothermal capillary — <i>D. A. Benson and S. N. Kempka</i> | 544 |
| Electrothermal generated gasdynamic pressure pulses for mass acceleration — <i>H. W. Fien, U. E. Braunsberger, and J. G. H. Salge</i> .. | 550 |
| Investigation of plasma-augmented solid propellant interior ballistic processes — <i>J. R. Greig, J. Earnhart, N. Winsor, H. A. McElroy, A. A. Juhasz, G. P. Wren, and W. F. Morrison</i> | 555 |
| Fundamental research and numerical modelling of the internal ballistics of electrothermal chemical guns — <i>D. Hewkin and E. Figura</i> .. | 561 |
| A numerical model for ETC gun interior ballistics applications — <i>C.-C. Hsiao, G. T. Phillips, and F. Y. Su</i> | 567 |
| Electrothermally augmentation of a solid propellant launcher — <i>Z. Kaplan, D. Saphier, D. Melnik, Z. Gorelic, J. Ashkenazy, M. Sudai, D. Kimhe, M. Melnik, S. Smith, and A. Juhasz</i> | 573 |
| Royal ordnance electrothermal gun system model (ROSETTE): An update — <i>P. M. Locking, T. Harling, and M. Johnson</i> | 579 |
| Time dependent simulation of the plasma discharge in an electrothermal launcher — <i>R. B. Mohanti and J. G. Gilligan</i> | 585 |
| Capillary discharge in the electrothermal gun — <i>J. D. Powell and A. E. Zielinski</i> | 591 |
| The LRT/TUM small caliber electrothermal accelerator — <i>M. Rott</i> | 597 |
| A comprehensive, numerical model of electro-thermal propulsion — <i>N. Silvestre, D. Hensel, and K. Daree</i> | 603 |
| Theoretical investigation of the plasmodynamic accelerator — <i>P. Thomas, E. Igenbergs, H. Tamura, and A. B. Sawaoka</i> | 609 |
| End-to-end modeling of electrothermal launchers — <i>L. D. Thornhill, J. H. Batteh, J. J. Scanlon, III, and D. Cook</i> | 615 |
| Electrothermal light gas gun — <i>D. A. Tidman and D. W. Massey</i> | 621 |
| A parametric study for an electrothermal-chemical artillery weapon — <i>C. R. Woodley</i> | 625 |
| U.S. Army activities in multidimensional modeling of electrothermal-chemical guns — <i>G. P. Wren, W. F. Oberle, N. Sinha, A. Hosangadi, and S. M. Dash</i> | 631 |

ELECTROMAGNETIC AND ELECTROTHERMAL LAUNCHERS: COILGUNS

| | |
|--|-----|
| Coilgun structures — <i>J. A. Andrews</i> | 637 |
| Some remarks on the current filament modeling of electromagnetic launchers — <i>B. Azzerboni, E. Cardelli, M. Raugi, and A. Tellini</i> .. | 643 |
| Coilgun technology at the Center for Electromechanics, the University of Texas at Austin — <i>D. A. Bresie and S. K. Ingram</i> | 649 |
| Coaxial electromagnetic launcher calculations using FE-BE method and hybrid potentials — <i>J. H. Chang, E. B. Becker, and M. D. Driga</i> | 655 |
| The magnet-motor energy supply system for EML together with a new coil-accelerator concept — <i>P. Ehrhart, M. Heeg, G. Heidelberg, G. Reiner, and W. Weck</i> | 661 |
| Equivalent circuits and parameters for induction-type electromagnetic launchers — <i>J. L. He, E. Levi, Z. Zabar, and L. Birenbaum</i> .. | 667 |
| Theoretical analysis of a collapsing field accelerator — <i>S. K. Ingram</i> | 675 |
| Design and performance of Sandia's contactless coilgun for 50 mm projectiles — <i>R. J. Kaye, E. C. Cnare, M. Cowan, B. W. Duggin, R. J. Lipinski, B. M. Marder, G. M. Douglas, and K. J. Shimp</i> | 680 |
| Analysis of the performance of tubular pulsed coil induction launchers — <i>P. J. Leonard, H. C. Lai, G. Hainsworth, D. Rodger, and J. F. Eastham</i> | 686 |
| Space applications for contactless coilguns — <i>R. J. Lipinski, S. Beard, J. Boyes, E. C. Cnare, M. Cowan, B. W. Duggin, R. J. Kaye, R. M. Morgan, D. Outka, D. Potter, M. M. Widner, and C. Wong</i> | 691 |
| Behavior of azimuthal currents induced in the projectile of the linear induction launcher (LIL) — <i>X. N. Lu, E. Levi, Z. Zabar, and L. Birenbaum</i> | 696 |
| A coilgun design primer — <i>B. M. Marder</i> | 701 |
| Synergism in research and development between electromagnetic guns and spacecraft electric propulsion — <i>M. R. Palmer</i> | 706 |
| Solid armature coaxial railgun experiment results — <i>J. C. Schaaf, Jr. and N. F. Audeh</i> | 711 |
| Design of a rising frequency generator/coaxial accelerator — <i>D. A. Weeks and S. B. Pratap</i> | 716 |

ARMATURES AND LAUNCHERS

| | |
|---|-----|
| Hypervelocity projectile design and fabrication — <i>J. A. Ang, C. H. Konrad, C. A. Hall, A. R. Susoeff, R. S. Hawke, G. L. Sauve, A. R. Vasey, S. M. Gosling, and R. J. Hickman</i> | 722 |
| Three dimensional forces and energy computation software package 'FEMAN' and its applications — <i>B. Azzerboni, G. Tina, and E. Cardelli</i> | 728 |
| Velocity effects on metal armature contact transition — <i>J. P. Barber and A. Challita</i> | 733 |
| Effect of a transient current profile on the dynamics of railgun arcs — <i>J. H. Batteh, J. D. Powell, and G. E. Rolader</i> | 739 |
| Residual plasma property control for velocity railgun performance — <i>D. P. Bauer, E. A. Knoth, and B. L. Maas</i> | 745 |
| 2-D MHD numerical simulations of EML plasma armatures with ablation — <i>G. C. Boynton, M. A. Huerta, and Y. C. Thio</i> | 751 |
| A triggering mechanism for secondary arcs — <i>H. A. Calvin, S. P. Virostek, and J. J. Anderson</i> | 757 |
| A multiple armature railgun launcher — <i>A. Challita, B. L. Maas, D. P. Bauer, and M. Heyse</i> | 763 |
| Balloting motion of SLEKE launch packages in EM railguns — <i>S. H. Chu</i> | 769 |
| High transition velocities for solid armatures in the 10-mm MTR railgun — <i>N. Colon, L. Tran, K. Luu, L. Paul, D. I. Chang, and D. A. Sink</i> | 775 |
| Velocity limiting magnetohydrodynamic effects in railgun plasma armatures — <i>R. Crawford, D. Keefer, and R. Tipton</i> | 781 |
| HERA railgun facility at Texas Tech University — <i>M. Day, M. C. Baker, and G. Grant</i> | 787 |
| Mid-push plasma armatures for long-rod electromagnetic gun projectiles — <i>R. Dethlefsen, R. Ingermanson, I. McNab, F. LeVine, and T. E. Hayden</i> | 792 |
| Solid armature performance with resistive rails — <i>Y. A. Dreizin</i> | 798 |
| DTRC electromagnetic launcher with feedback control — <i>F. P. Emad, J. P. Borraccini, D. J. Waltman, T. H. Fikse, W. R. Ruby, M. J. Superczynski, R. C. Whitestone, and E. V. Thomas</i> | 804 |
| Numerical simulations of plasma brush behavior in hybrid armatures — <i>R. S. Hawke and P. A. Pincosy</i> | 810 |
| Measurements of experimental plasma brush behavior in hybrid armatures — <i>R. S. Hawke, J. J. Morrison, and A. R. Susoeff</i> | 814 |
| Experimental results from solid armature tests at the Center for Electromechanics at the University of Texas at Austin — <i>R. J. Hayes and T. E. Hayden</i> | 819 |
| Further investigations of plasma armature performance in the Culham Laboratory HTF rail launcher — <i>N. Herring, C. R. Spikings, C. M. Oxley, J. R. Beacham, and D. Putley</i> | 825 |
| Determining the Lorentz forces in plasma armatures — <i>M. L. Huebschman</i> | 831 |
| Development of an advanced electromagnetic gun barrel — <i>T. W. Hurn, J. D'Aoust, L. Sevier, R. Johnson, and J. Wesley</i> | 837 |
| Arc behavior driven by electromagnetic force between rail electrodes — <i>K. Koyama, H. Toya, Y. Wada, and A. Hasegawa</i> | 843 |
| Experimental study of solid armatures for EML applications — <i>P. Lehmann, H. Peter, and J. Wey</i> | 848 |

| | |
|--|-----|
| An experimental investigation of plasma armature railgun performance in the 3.2 to 4.2 km/s regime — <i>D. M. Littrell and K. A. Jamison</i> | 853 |
| Analysis of experimental data from a 50-mm railgun driven by a 5-MJ capacitor power supply — <i>J. J. Scanlon, III, J. H. Batteh, L. D. Thornhill, K. A. Jamison, and D. M. Littrell</i> | 859 |
| Electrothermal design aspects of transitioning solid armatures — <i>A. J. Schoolderman, W. A. deZeeuw, and M. Koops</i> | 865 |
| Determination of jerk, acceleration, and magnetic field loadings on a projectile launched from an electromagnetic railgun — <i>J. J. Scanlon, III, L. D. Thornhill, and J. H. Batteh</i> | 871 |
| Development of a confined plasma armature design (CPAD) — <i>M. White, D. Jacobsen, C. Barker, and E. Goldman</i> | 877 |
| Hall effect degradation of rail gun performance — <i>E. A. Witalis and P. Gunnarsson</i> | 883 |
| A projectile-oriented, design study for a cannon-caliber electromagnetic launcher — <i>A. E. Zielinski</i> | 889 |
| Electromagnetic force, jerk, and electric gun projectiles — <i>R. C. Zowarka and J. P. Kajs</i> | 895 |

POWER CONDITIONING AND ENERGY STORAGE

| | |
|---|------|
| Design and fabrication of a tandem, five megampere initiate switch for the battery upgraded supply — <i>T. A. Aanstoos, R. C. Zowarka, and J. L. Upshaw</i> | 901 |
| Non-arcing commutation in explosive opening switches — <i>J. P. Barber, D. C. Newman, R. Ford, and R. Klug</i> | 907 |
| 25 kA, 5000 V solid state opening switch for inductive energy stores — <i>E. E. Bowles, W. G. Homeyer, J. M. Rawls, M. W. Heyse, J. B. Cornette, and N. E. Taconi, Jr.</i> | 911 |
| A pulse forming network design for blocked-bore plasma armature experiments — <i>W. J. Carey, B. D. Barrett, W. C. Nunnally, W. E. Dillon, and E. L. Eubank</i> | 915 |
| A pulse forming network and test fixture for screening electrothermal chemical candidate propellents — <i>D. I. Chang, B. Long, D. Chiu, R. King, and J. Hershkowitz</i> | 919 |
| 52 megajoule electric gun test facility — <i>T. Coradeschi, G. Colombo, A. Davis, R. Puterbaugh, T. Bernhardt, C. Dobbie, P. Gaywood, E. Harris, and I. McNab</i> | 923 |
| Distribution and grounding issues involved in naval ship integration of an electric gun system — <i>J. Dentler and K. Pettersen</i> | 929 |
| Pulse power applications of silicon diodes in EML capacitive pulsers — <i>R. Dethlefsen, I. McNab, C. Dobbie, T. Bernhardt, R. Puterbaugh, F. LeVine, T. Coradeschi, and V. Rinaldi</i> | 934 |
| Dynamic simulation of capacitor-based electric gun systems for naval applications — <i>S. Fish and J. Cherry</i> | 939 |
| Evolutionary development of the multi-function 'RAP' explosive operated switching cartridge — <i>R. D. Ford, N. E. Johnson, F. Christopher, R. Klug, M. Matyac, N. Lucas, and J. Barber</i> | 943 |
| Novel hybrid XRAM current multiplier — <i>R. D. Ford, R. D. Hudson, and R. T. Klug</i> | 949 |
| Electromagnetic launcher control using finite state machines — <i>J. M. Gay, J. B. Cornette, and M. W. Heyse</i> | 954 |
| BTI/Army pulse power module — <i>B. D. Goodell and R. S. Ricci</i> | 958 |
| Propulsion powered electric guns—A comparison of power system architectures — <i>G. F. Grater and T. J. Doyle</i> | 963 |
| Investigation of an alternator charged pulse forming network with flywheel energy storage — <i>J. H. Gully, S. B. Pratap, R. N. Headifen, C. Marinos, W. Dick, and B. Goodel</i> | 969 |
| The Kirkcudbright Electromagnetic Launch Facility — <i>H. G. Hammon, J. Dempsey, D. Strachan, R. Raos, D. Haugh, F. P. Whitby, M. M. Holland, and P. Eggers</i> | 975 |
| Preliminary design of a 1 gigajoule homopolar generator — <i>G. R. Headifen, J. A. Pappas, J. M. Weldon, J. C. Wright, J. H. Price, J. H. Gully, and G. Brunson</i> | 980 |
| 9 MJ range gun compulsator stator design and fabrication — <i>J. D. Herbst, K. G. Cook, R. A. Kuenast, S. B. Pratap, R. C. Thompson, and H. D. Yun</i> | 986 |
| 1.2 MW DC-DC converter — <i>W. G. Homeyer, R. J. Callanan, E. E. Bowles, and A. Nerem</i> | 992 |
| Multiple traveling wave electromagnetic rotating power supplies: FEM field modeling — <i>K. T. Hsieh and M. D. Driga</i> | 997 |
| BUS high current battery model — <i>J. P. Kajs and R. C. Zowarka</i> | 1003 |
| Battery power supply for the Navy Electromagnetic Torpedo Launcher — <i>J. R. Lippert</i> | 1009 |
| Status report on project Hercules — <i>D. Loree, M. Giesselmann, M. Kristiansen, and D. Larson</i> | 1013 |
| Short pulse, peak current ratings of diodes — <i>B. L. Maas, N. D. Clements, and V. Rinaldi</i> | 1017 |
| Fabrication of a rotor for a field based, self-excited compulsator power supply for a 9 MJ railgun demonstrator — <i>S. M. Manifold, W. G. Brinkman, and E. G. Estes</i> | 1021 |
| Design of a 500 MJ, 5 MA power supply — <i>J. A. Pappas, G. R. Headifen, J. M. Weldon, J. C. Wright, R. C. Zowarka, T. A. Aanstoos, and J. H. Kajs</i> | 1027 |
| Light activated solid-state opening switches — <i>R. A. Petr, G. I. Kachen, J. P. Reilly, R. B. Schaefer, and M. W. Heyse</i> | 1033 |
| Mobile pulse power systems for electric gun tests — <i>T. Pfenning, C. Marinos, T. Howard, M. Hendrickson, and J. Hargreaves</i> | 1037 |
| Advanced compulsator technology — <i>S. B. Pratap</i> | 1043 |

| | |
|--|------|
| Dynamic behavior of an explosive opening switch — <i>G. E. Rolader, N. E. Johnson, O. Yakaboski, and M. Matyac</i> | 1048 |
| Technical tradeoffs for downsizing ETC power systems — <i>W. J. Sarjeant, B. D. Goodell, S. L. Langlie, and K. C. Pan</i> | 1054 |
| The use of thyristors as main switches in EML applications — <i>E. Spahn, G. Buderer, J. Wey, V. Wegner, and F. Jamet</i> | 1060 |
| Development of a linear piston-type pulse power electric generator for powering electric guns — <i>M. Summerfield</i> | 1066 |
| A mechanical connector design for high-current, high-Coulomb pulsed power systems — <i>A. R. Susoeff, R. S. Hawke, and K. S. Leighton</i> | 1070 |
| Design of a dissipation circuit for a 560 MJ inductive storage supply — <i>J. L. Upshaw, R. C. Zowarka, and T. A. Aanstoos</i> | 1076 |
| Study of high current commutation by explosive switch — <i>S. Usuba, Y. Kakudate, M. Yoshida, S. Fujiwara, M. Miyamoto, T. Morita, A. Kubota, and M. Den</i> | 1082 |
| Mathematical formulation of 2D and 3D finite and boundary element model for transient electric fields in high performance capacitors — <i>A. F. Wu and M. D. Driga</i> | 1088 |
| Optimization of the power circuit for most efficient performance of ISAS railgun (HYPAC) — <i>A. Yamori and N. Kawashima</i> | 1093 |
| MATERIALS, STRUCTURES, AND DIAGNOSTICS (D) | |
| Spectroscopic diagnostics of railgun plasma armatures — <i>V. Bakshi, B. D. Barrett, T. D. Boone, Jr., and W. C. Nunnally</i> | 1097 |
| Finite element analysis of transient electromagnetic heating effects in three dimensions — <i>S. H. L. G. Bisson, P. J. Leonard, and D. Rodger</i> | 1102 |
| Comparative study of component erosion for electromagnetic and electrothermal launchers — <i>M. A. Bourham, O. E. Hankins, J. G. Gilligan, J. D. Hurley, and J. R. Earnhart</i> | 1107 |
| Interchange instability in finite conductivity accelerated plasma arcs — <i>M. Bourouis, M. A. Huerta, and F. Rodriguez-Trelles</i> | 1113 |
| Electric energy weapon implementation on an airborne platform — <i>J. L. Brown</i> | 1119 |
| Modelling of electromagnetic interferences produced by a railgun — <i>F. Canavero, E. Cardelli, M. Raugi, and A. Tellini</i> | 1125 |
| Barrel lateral force modeling of a curved EM railgun — <i>S. H. Chu</i> | 1131 |
| A tool for force model analysis for plasma armature railguns — <i>K. K. Cobb, N. E. Taconi, Jr., and C. R. Heddings</i> | 1137 |
| Insulator and electrode mass erosion and surface voltage holdoff recovery for transient, high current surface discharges — <i>T. G. Engel, J. C. Dickens, and M. Kristiansen</i> | 1143 |
| Development of arcs burning in non-reacting liquids — <i>H. W. Fien</i> | 1148 |
| Magnetic vapor shielding mechanism in electromagnetic and electrothermal launchers — <i>J. G. Gilligan, M. A. Bourham, O. E. Hankins, and W. H. Eddy</i> | 1153 |
| Visible light emission measurements from a dense electrothermal launcher plasma — <i>O. E. Hankins, M. A. Bourham, J. Earnhart, and J. G. Gilligan</i> | 1158 |
| Dynamic bore/interaction effects on metal armature performance — <i>G. A. Hanlin, A. Challita, and R. J. Taylor</i> | 1162 |
| Data acquisition applications for long duration electromagnetic launcher experiments — <i>M. W. Heyse, J. B. Cornette, J. L. Brown, and D. Burkett</i> | 1168 |
| X-ray diagnostics for the single shot laboratory gun — <i>T. J. Hotz and J. J. Hahne</i> | 1174 |
| ISL 500 kJ 15mm railgun numerical simulation — <i>P. Kiener and K. Kitzinger</i> | 1180 |
| Controls and diagnostics on a fuseless railgun for solid hydrogen pellet acceleration — <i>T. L. King, J. Zhang, R. G. Haywood, W. C. Manns, and K. Kim</i> | 1186 |
| Design, development and testing of a lightweight, composite sabot for the D-2 program — <i>D. McGaughey, H. Popma, J. Ferraro, C. Crepeau, and G. Bischer</i> | 1190 |
| A system overview of the technology development issues for fieldable EML barrels — <i>D. C. Newman and J. P. Barber</i> | 1196 |
| Magnetic design for structural stiffness: The tailored railgun — <i>D. R. Peterson</i> | 1201 |
| Zero-ablation tests on the HART augmented launcher — <i>F. Stefani, M. B. Schulman, R. E. Wootton, D. A. Fikse, and J. V. Parker</i> . | 1207 |
| The projectile-wall interface in rail launchers — <i>Y. C. Thio, M. A. Huerta, G. C. Boynton, D. A. Tidman, S. Y. Wang, and N. K. Winsor</i> | 1213 |
| Commissioning of a metal vapor laser for the illumination of high speed motion pictures — <i>D. J. Wehrlein and S. Sarin</i> | 1219 |
| CONFERENCE AUTHOR INDEX | |
| | 1224 |